

Safety Data Sheet

SDS-PNL-07 Rev 4 Revision Date: 7/23/2015

HPV Performance and Qualification Panels

1. PRODUCT AND COMPANY IDENTIFICATION

Product Description: Product Code

Qualification Panels QSH7XX
HPV Performance PSH3XX

Hazardous Reagent Hazardous Reagent Product code

Product Description listed above Catalog No. listed above

Recommended Use Reagent

Contact Manufacturer SeraCare Life Sciences Phone #: (508) 244-6400 US Toll Free: (800) 676-1881

37 Birch Street
Milford, MA 01757

Fax #: (508) 634-3394
Web: www.seracare.com

Email: customerservice@seracare.com

Emergency Telephone Numbers:

AUSTRALIA – POISONS INFORMATION CENTER Telephone: 13 11 26 Hours: 24 hours

CANADIAN TRANSPORT EMERGENCY CENTER
UK – THE NATIONAL FOCUS
USA- NATIONAL RESPONSE CENTER
Telephone: (1) 613 996 6666
Telephone: (1) 613 996 6666
Hours: 24 hours/day, 7 days/week
Telephone: (1) 800 424 8802
Hours: 24 hours/day, 7 days/week

CHEMTREC: CHEMTREC Customer Number:- CCN12505*

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 CCN12505 or

+1 703-527-3887 (collect calls accepted)

2. HAZARD IDENTIFICATION

Hazard Type Health, Fire and Environmental Hazard. This product contains the following Proposition 65

chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March

16, 2012

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

GHS Classification Flammable liquids, Category 2; H225

Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

Hazard Statements:

H331: Toxic if inhaled.

SDS-PNL-07 Rev 4 Revision Date: 7/23/2015

HPV Performance and Qualification Panels

H311: Toxic in contact with skin. H301: Toxic if swallowed.

Precautionary Statements:

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284: Wear respiratory protection.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P261 Avoid breathing

mist/vapours/ spray.

Symbols and Indications of

Danger:

Dgr: Danger



Principle Route of Exposure

Acute Effects: Eye: In case of contact, immediately flush eyes with a large amount of water for at least 15 minutes

while holding the eyelids open to assure that the entire surface is flushed. Seek medical

attention.

Acute Effects: Skin: Remove contaminated clothing and shoes. In case of contact, immediately wash the contact

area thoroughly with soap and a large amount of water. Seek medical attention.

Acute Effects: Inhalation: Remove patient to fresh air. If symptoms of intoxication or vision problems are apparent, seek

immediate medical attention.

Acute Effects: Ingestion: Avoid swallowing the material. Do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious or convulsing person. If

conscious, rinse mouth with water. Seek medical attention.

Chronic Effects: Methanol is a flammable liquid. Inhalation of vapors may cause non-specific discomfort

(nausea, weakness), drowsiness with anesthetic effects and possible blindness. Swallowing as

little as 4 ounces (118 mL) may cause blindness and in extreme cases death.

Additional Information The product contains no substances which at their given concentration, are considered to be

hazardous to health

3. COMPOSITION/INFORMATION ON INGREDIENTS

ComponentCHEMICAL% WeightCAS #:HPV Performance andMethyl Alcohol60%67-56-1

Qualification Panels

GHS Classification

Flammable liquids, Category 2; H225 Acute toxicity, Category 3, inhalation; H331

Acute toxicity, Category 3, Illialation, HSS Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

4. FIRST AID MEASURES

General Advice Wash contaminated clothing before reuse. Consult a physician if irritation persists

Oral Exposure Avoid swallowing the material. Do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious or convulsing person. If conscious,

rinse mouth with water. Seek medical attention.

SDS-PNL-07 Rev 4 **Revision Date:** 7/23/2015

HPV Performance and Qualification Panels

Inhalation Exposure Remove patient to fresh air. If symptoms of intoxication or vision problems are apparent, seek

immediate medical attention.

Remove contaminated clothing and shoes. In case of contact, immediately wash the contact Skin Exposure

area thoroughly with soap and a large amount of water. Seek medical attention.

Eye Exposure In case of contact, immediately flush eyes with a large amount of water for at least 15 minutes

while holding the eyelids open to assure that the entire surface is flushed. Seek medical

attention.

5. FIRE FIGHTING MEASURES

Use dry chemical, alcohol-resistant foam or carbon dioxide for the surrounding fire. Extinguishing media

Unusual Fire and Explosive

Hazards

May emit toxic and/or explosive vapors under fire conditions

Flash Point 80 °F (26.5 °C)

Autoignition Temperature 725 °F (385 °C)

Flammability Statement This product is flammable (flammable limits LEL=6.7 and UEL=36)

the chemical

Specific hazards arising from Hazardous combustion products may include carbon monoxide, formaldehyde, and carbon

dioxide.

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective clothing to prevent exposure to eyes

and skin. Flame invisible in daylight.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Data for 100% Methyl Alcohol (67-56-1): Precautionary Statement - P-phrases:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P309+P310: IF exposed or if you feel unwell: Immediately call a POISON CENTER or

doctor/physician. (Unofficial P-phrase combination)

Data for 100% Methyl Alcohol (67-56-1): Endangerment of drinking water and environment: **Environmental Precautions**

Maybe a hazard to drinking water sources when very large quantities get into groundwater.

Inform the responsible authorities.

Method of Containment

Collect leaking and spilled liquid in sealable containers as far as possible.

Methods of Clean-up

Clean up of spills requires no special equipment or procedures. Clean with copious amounts of

water.

Other Information Not Applicable

7. HANDLING AND STORAGE

Handling: Wear appropriate PPE. See section 8

Storage: Store as labeled and away from excessive heat and sources of ignition.

8. EXPOSURE CONTROL

Respiratory Protection Ventilation, local exhaust, or breathing protection

Eye Protection Safety goggles. Safety spectacles Skin Protection Protective gloves. Protective clothing.

Page 3 of 7

SDS-PNL-07 Rev 4 Revision Date: 7/23/2015

HPV Performance and Qualification Panels

Ingestion Do not eat, drink, or smoke during work.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Slightly cloudy colorless liquid with alcohol type odor.

Physical State Liquid

OdorNot AvailableOdor ThresholdNot AvailablepHNot AvailableBoiling Point148 °F/64 °C

Evaporation Rate >1 Vapor Density ~1.1

Vapor Pressure 127 mm Hg **Relative Density** Not Available Not Available **Auto-Ignition Temperature** Water Solubility Dilutable **Flammability** Flammable **Flash Point** 80 °F (26.5 °C) **Viscosity** Not Available **Oxidizing Properties** Not Available **Explosive Properties** Not Available

Additional Parameters See Datasheet/Product Insert for other Product Information.

10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions

Conditions to avoid Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and explosion

hazard. The vapour mixes well with air, explosive mixtures are easily formed.

Incompatibility Materials to

Avoid

Strong oxidizing agents and reducing agents

Hazardous Decomposition

Products

Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization Will not occur

Possibility of hazardous

reactions

Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and explosion

hazard. The vapour mixes well with air, explosive mixtures are easily formed.

11. TOXICOLOGY MEASURES

Acute Toxicity

The following toxicological information is for the hazardous ingredient in pure form.

LD50 Oral Data for 100% Methyl Alcohol: LD50 oral rat: 5630 mg/kg

Reference: Gigiena Truda i Professional'nye Zabolevaniya. Labor Hygiene and Occupational

Diseases. Vol. 19(11), Pg. 27, 1975. Acutely Toxic

LD50 Dermal Data for 100% Methyl Alcohol: LD50 dermal Rabbit : 15800 mg/kg

Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74, 1974.

Acutely Toxic

LC50 Inhalation Data for 100% Methyl Alcohol: LC50 inhalation rat: 83,9 mg/l/4 h

Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74, 1974.

Acutely Toxic

SDS-PNL-07 Rev 4 **Revision Date:** 7/23/2015

HPV Performance and Qualification Panels

Chronic Toxicity

Carcinogenicity Not Available

Irritation Data for 100% Methyl Alcohol: Main toxic effects:

Acute:

Irritation to the eyes, CNS depression, systemic damage to the eyes

Chronic:

Neurological symptoms, irritation to the nasal mucous membranes through exposure to higher

vapor concentrations, damage to the skin due to repeated contact.

Corrosivity Not Available Sensitization Not Available **Neurological Effects** Not Available Not Available **Mutagenic Effects Reproductive Effects** Not Available

Developmental Effects This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity:

developmental CAS No. 67-56-1 Date Listed: March 16, 2012

Target Organ Effects Data for 100% Methyl Alcohol: Eves. skin, respiratory system, central nervous system.

gastrointestinal tract

Other adverse effects Data for 100% Methyl Alcohol: Effects of short-term exposure

> The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. This may result in loss of consciousness. Exposure could cause blindness and death. The effects may be delayed. Medical observation is

indicated.

Effects of long-term or repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the central nervous system. This may result in persistent or recurring headaches and

impaired vision.

12. ECOLOGICAL MEASURES

Data for 100% Methyl Alcohol: Acute Toxicity to Fish - LC50 Fish (96 hours) **Ecotoxicity**

Minimum: 15000 mg/l Maximum: 29400 mg/l Median: 24000 mg/l Study number: 8

Reference: Poirier, S.H., M.L. Knuth, C.D. Anderson-Buchou, L.T. Brooke, A.R. Lima, and P.J. Shubat 1986. Comparative Toxicity of Methanol and N,N-Dimethylformamide to Freshwater Fish and Invertebrates. Bull.Environ.Contam.Toxicol. 37(4):615-621; Bengtsson, B.E., L. Renberg, and M. Tarkpea 1984. Molecular Structure and Aquatic Toxicity - an Example with C1-

C13 Aliphatic Alcohols. Chemosphere 13(5/6):613-622

Persistence/Degradability Not Available **Mobility in Environmental**

Media

Bioaccumulation/ **Accumulation**

Not Available

Not Available

13. DISPOSAL MEASURES

Treatment, storage and transportation must comply with all Federal, State, and Local laws **Waste Disposal Method:**

concerning health and pollution.

Contaminated Packaging: Avoid contact with skin and clothing. Place contaminated packaging in a break proof outer

vessel and dispose on in compliance with national and local regulations.

SDS-PNL-07 Rev 4 Revision Date: 7/23/2015

HPV Performance and Qualification Panels

US EPA Waste Number: Not Available

14. TRANSPORTATION MEASURES

DOT: UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity

label

IATA: UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity

label

ADR (road)/ RID (rail): UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity

label

IMDG (sea): UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity

label

General Transport Regulations UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity

label

15. REGULATORY MEASURES

This product is a mixture that may contain one or more hazardous chemicals. The hazardous ingredients listed are only those as required by 29 CFR 1910.1200 (OSHA HCS).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemical or chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (See 40 CFR 61)

Methyl Alcohol

Methyl Alcohol

Not Listed

State Regulations

California Proposition 65:

This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March 16, 2012

State Right to Know Act

Chemical Name

	_
Massachusetts	Listed
New Jersey	Listed
Pennsylvania	Listed
New York	Listed
Rhode Island	Listed

International Inventories

Chemical Name

Chemical Name	Wethyl Alcohol
TSCA	Listed
DSL	Listed
NDSL EINECS	Not Listed Listed
CHINA	Listed
KECL	Listed
JAPAN:	Listed
AICS	Listed

EU Regulations

SDS-PNL-07 Rev 4 **Revision Date:** 7/23/2015

HPV Performance and Qualification Panels

Data for 100% Methyl Alcohol: Annex I Index#

Annex I Index# : 603-001-00-X

Flammable liquids, Category 2; H225 Classification

Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

Hazard Statements

H331: Toxic if inhaled.

H311: Toxic in contact with skin.

H301: Toxic if swallowed.

Precautionary Statements

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284: Wear respiratory protection.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P261 Avoid breathing

mist/vapours/ spray.

Symbols and Indications

of Danger

Dgr: Danger

Specific Concentration STOT SE 1; H370: C >= 10 % STOT SE 2; H371: 3 % <= C < 10 % Limits

16. OTHER INFORMATION

The above information is believed to be accurate, complete and current but does not purport to be all inclusive and shall be used as a guide. SeraCare Life Sciences makes no representation or warranties with respect to the product described herein, including but not limited to any implied warranties or merchantability or fitness for a particular use. SeraCare assumes no liability or responsibility and authorizes no other person to assume any additional liability or responsibility as a result of the use of this product or the information contained in the Material Safety Data Sheet.